



VOCAL
FOR
LOCAL



CRYSLA INDUSTRIES LLP

Survey NO.202/1/1, Bharatnagar, Nava Sadulka Road,
At. Nava Sadulka, Morbi-363 642 (Guj.) INDIA.

E-mail : info@cryslaindustries.com
Web. : www.cryslaindustries.com

ROYAL PRINT WORLD - +91 75675 24500



ACRYLIC

Elevate your interior design with acrylic colors





The epitome of style and exemplary performance is here with a collection that's breathtaking and riveting



LUXURY

At CRYSLA, our comprehensive selection of laminates reflects our unwavering dedication to utilizing premium-grade raw materials and cutting-edge manufacturing techniques. Celebrated for their unmatched quality, captivating designs, enduring strength, and steadfast performance, our offerings address a wide array of requirements. Be it the diverse range of styles, captivating designs, or a rich palette of colors, we have you covered!



ACRYLIC
LAMINATE
MANUFACTURING
COMPANY
IN INDIA



ADVANCED FEATURES



1.5/1.3 MM
THICKNESS

For exceptional solidity, our Ultra Matt Acrylic Laminates are available in 1.5/1.3 mm (+/-0.05%) thickness.



TERMITE &
BORER FREE

Our Acrylic laminates are specially treated to ensure they remain termite and borer free for life time.



DURABILITY
& STRENGTH

Our Ultra Matt Acrylic Laminates are extremely sturdy and durable. They can withstand heavy loads easily.



LIGHT
WEIGHT

For ease of use and effortless installation, our range of laminates have been developed in a way to keep them extremely light weight.



WATER
PROOF

Treated with a special coating on the surface, our Ultra Matt Acrylic Laminates are water proof.



IDEAL FOR
VERTICAL
APPLICATION

Our range of Acrylic laminates has effortless and exceptional adhesion properties, which allows it to be used in vertical applications.



Made to mesmerize, each design is a versatile niche on display with a variety that captivates and entices instantaneously

Ultimate sophistication and stunning quality are the hallmarks of Crysla acrylic laminates

LAVISH APPEAL WITH EMINENCE

Trending designs that elevate your decors to exquisite appearances of niche realm




A 360° perspective, gives you an all encompassing view from all angles and helps you better visualize your spaces with accuracy and precision.

The entire intent of our offering is to facilitate services that help you grab the best for your spaces. Welcome to the enamoring world of 360° views for decors par excellence.

360°




SCAN QR
FOR LIVE APPLICATION



A 360° view of laminate designs provides a comprehensive understanding of the pattern, texture, and color from all angles, aiding in accurate visualization and assessment of the material's appearance.

This enables better decision-making in design, architecture, and interior decoration, ensuring that the chosen laminate complements the overall aesthetic from every perspective. Additionally, a full view helps identify potential pattern continuity or alignment issues, ensuring a cohesive and high-quality end result.


Hues of exquisite charm surround your spaces with elegance



CI-101




Gorgeous
Grace




CI-103




CI-105




TOUCH
LUXURY



CI-135



CI-102



CI-127



Used Design : CI-127 & CI-135




Used Design : CI-112 & CI-130



CI-108




CI-118



CI-112




CI-130



CI-124

B o h e m i a n S t y l e



CI-104



CI-131




Used Design : CI-106 & CI-131

Premium Grandeur


Inviting spaces that elevate your decor quotient to another level altogether



CI-106



CI-111




CI-117


P R E C I S I O N
P E R F E C T E D



Used Design : CI-128 & CI-133




CI-121



CI-128



CI-133



CI-113




CI-134

HIGH
GLOSS

100%
ACRYLIC




EXEMPLIFIED
BRILLIANCE



CI-123




CI-129




CI-132



CI-114




CI-119



CI-109




Used Design : CI-115 & CI-126




CI-125




CI-120




CI-107



CI-110



CI-126




CI-115




Used Design : CI-137

HIGH
GLOSS


ELAN
METAL




CI-138




CI-122



CI-116



CI-139



CI-136

100%
ACRYLIC



CI-137



CI-140

The vibrant touch of classy spaces
gives an elite flair of flamboyance




Used Design : CI-116 & CI-138




Used Design : CI-203 & CI-215




CI-201




CI-215



CI-210



CI-203



CI-209

R i v e t i n g C h a r m



CI-212



CI-214



CI-213




Used Design : CI-212, CI-213 & CI-214

Absolute Enchantment

Give your spaces a radiance and
resplendence that spreads a refreshing vibe



CI-207



CI-202




CI-216


MAVERICK
REGIN



Used Design : CI-205, CI-206 & CI-211



CI-206



CI-211




CI-208



CI-205




CI-204



CI-501



CI-503



CI-504




CI-510




Used Design : CI-505 & CI-506




CI-505



CI-506



CI-507




CI-508




Used Design : CI-511 & CI-512




CI-512



CI-511



CI-502



CI-509




STUNNING


ELEGANCE



CI-409



CI-415



CI-408

100%
ACRYLIC



Give your spaces a verve of
voguish charm and eternal beauty






ELEGANT


SPLENDOUR



CI-411



MARBLE



CI-410



CI-405




I MARBLE

100%
ACRYLIC



Lustrous
Grace




VIBRANCE


EMBRACE




CI-412



CI-401



CI-413



Magnificent and opulent, it's a perfect blend of all things marvellous




CI-414




CI-402



MARBLE



CI-403



CI-404



I MARBLE

BEAUTIFUL POISE

100%
ACRYLIC



CRYSLA
BHARAT KA ACRYLIC



CI-407



CI-406




CI-301



CI-311



Shades of swanky appearance and high end performance to sway your senses



CI-302




CI-303




6H
ANTI-SCRATCH
100%
ACRYLIC

WOODEN




CI-309



CI-308






CI- 310



CI- 305




The natural fervour of enticing designs
gives your spaces a futuristic view






WOODEN



CI-307



CI-306



FAQS



Insufficient or Lack of Pressing During The Bonding Period of The Laminate.



When The Substrate Loses Moisture After Installation.



Acrylic are Bonded in Extremely Humid Conditions.




Use of Water-Based Synthetic Resin Adhesive Other Than PEVA (Polyethylene Vinyl Acetate Co-Polymer).



Use of Extremely Large Acrylic/PVC Laminate Sheets (More Than 8ft x 2ft Long).




Debonding in Certain Areas Due To Uneven Substrate Surface.



To avoid de-lamination / air bubbles in between Ply and laminate the above steps should be taken care of. Bonding of acrylic sheets shouldn't be completed under high humidity

Reasons for Air Bubble Formations on Acrylic Sheets



Please open the roll immediately Do not Pressurize while opening roll




Shake it well and lightly spray on the surface



Wipe the surface clean using a light circular motion

PANEL STRUCTURE



APPLICATION



Kitchen Shutters



Wardrobe



Door and Drawer Fronts



Office Spaces



TV Unit



Furniture

LIMITED WARRANTY

CRYSLA Products are tested to be reasonably free of defects, and when used and fabricated properly they will comply with the applicable manufacturing specifications within realistic deviations, we recommend customers to inspect properly before installing. CRYSLA warranty in on way covers defects and non-compliance from or otherwise attributable any other causes, including without limitation the following:

- ◆ Improper handling / transportation / storage of Acrylic Laminate
- ◆ Improper installation of Acrylic Laminate
- ◆ Improper or unintended usage of Acrylic Laminate
- ◆ Lack of or improper maintenance of Acrylic Laminate
- ◆ Exposure to high temperatures
- ◆ Unauthorized alteration to the products
- ◆ Outdoor applications

- ◆ There will be no guarantee or exchange under any circumstances
- ◆ Color variations in products from different batches are possible
- ◆ We recommend using products from same batch to avoid color variations
- ◆ This brochure is for presentation purposes only, Actual colors may differ.

DISCLAIMER

- ◆ Do not use plywood with high moisture content
- ◆ Do not use ply with uneven surface
- ◆ Avoid using interior quality adhesive
- ◆ Apply sufficient pressure
- ◆ We do not recommend pasting of sheets on the printed/branding area of the plywood

Acrylic laminates provide a premium and sophisticated finish when applied on MDF board!



COLLECTION

Available in Size .

2440mm X 1220mm (8ft X 4ft) Thickness : 1.5 / 1.3mm (±0.05%)

100%
ORIGINAL
PURE ACRYLIC

APPLICATIONS

Kitchen

Worktops, Tables, Doors
Shelves, Cabinets, Trolleys

Bathroom

Worktops, Shelves, Cabinets

Furniture

Healthcare

Wall Lining And Horizontal Surfaces,
Lockers, Cabinets, Trolleys

Commercial

Hospitality & Restaurant Tables


Counter Tops, Doors, Cubicles,
Lockers, Cabinets

Wall Cladding & Partition

GENERAL USE & CARE GUIDE

These laminates are manufactured with aesthetics and durability in mind. when used as recommended and with appropriate care. our laminates will last though

Causes of **Yellow Patches** and Color Fading After Installation:



Exposure to Direct Sunlight Can Gravely Affect A Laminate's Appearance.



Use of Synthetic Rubber Adhesives Such As SR/Jat Pat, Bostic, Heatx, Etc.



Placing Hot Cookware or Utensils Directly on The Laminate.



Use of Inferior or Sub-standard Dipped Plywood or Dipped Lipping Patti, Which May Chemically React With The Adhesive.



Prolonged Exposure to High Temperature (above 30-35).

INDEX

Sr. No.	Design No.	Finish Name	Page No.
1	CI-101	HIGH GLOSS	01
2	CI-102	HIGH GLOSS	01
3	CI-103	HIGH GLOSS	02
4	CI-104	HIGH GLOSS	05
5	CI-105	HIGH GLOSS	02
6	CI-106	HIGH GLOSS	05
7	CI-107	HIGH GLOSS	12
8	CI-108	HIGH GLOSS	04
9	CI-109	HIGH GLOSS	10
10	CI-110	HIGH GLOSS	12
11	CI-111	HIGH GLOSS	06
12	CI-112	HIGH GLOSS	04
13	CI-113	HIGH GLOSS	08
14	CI-114	HIGH GLOSS	10
15	CI-115	HIGH GLOSS	12
16	CI-116	HIGH GLOSS	14
17	CI-117	HIGH GLOSS	06
18	CI-118	HIGH GLOSS	04
19	CI-119	HIGH GLOSS	10
20	CI-120	HIGH GLOSS	12
21	CI-121	HIGH GLOSS	08
22	CI-122	HIGH GLOSS	14
23	CI-123	HIGH GLOSS	09
24	CI-124	HIGH GLOSS	04
25	CI-125	HIGH GLOSS	12
26	CI-126	HIGH GLOSS	12
27	CI-127	HIGH GLOSS	01
28	CI-128	HIGH GLOSS	08
29	CI-129	HIGH GLOSS	09
30	CI-130	HIGH GLOSS	04
31	CI-131	HIGH GLOSS	05
32	CI-132	HIGH GLOSS	10
33	CI-133	HIGH GLOSS	08
34	CI-134	HIGH GLOSS	08
35	CI-135	HIGH GLOSS	01
36	CI-136	HIGH GLOSS	13
37	CI-137	HIGH GLOSS	13
38	CI-138	HIGH GLOSS	14
39	CI-139	HIGH GLOSS	13
40	CI-140	HIGH GLOSS	13
41	CI-201	METALLIC	16
42	CI-202	METALLIC	18
43	CI-203	METALLIC	16
44	CI-204	METALLIC	20
45	CI-205	METALLIC	20
46	CI-206	METALLIC	20
47	CI-207	METALLIC	17

Sr. No.	Design No.	Finish Name	Page No.
48	CI-208	METALLIC	20
49	CI-209	METALLIC	16
50	CI-210	METALLIC	16
51	CI-211	METALLIC	20
52	CI-212	METALLIC	17
53	CI-213	METALLIC	17
54	CI-214	METALLIC	17
55	CI-215	METALLIC	16
56	CI-216	METALLIC	18
57	CI-301	WOODEN	46
58	CI-302	WOODEN	47
59	CI-303	WOODEN	48
60	CI-305	WOODEN	51
61	CI-306	WOODEN	53
62	CI-307	WOODEN	54
63	CI-308	WOODEN	49
64	CI-309	WOODEN	50
65	CI-310	WOODEN	51
66	CI-311	WOODEN	46
67	CI-401	MARBLE	38
68	CI-402	MARBLE	40
69	CI-403	MARBLE	42
70	CI-404	MARBLE	41
71	CI-405	MARBLE	33
72	CI-406	MARBLE	44
73	CI-407	MARBLE	43
74	CI-408	MARBLE	29
75	CI-409	MARBLE	28
76	CI-410	MARBLE	34
77	CI-411	MARBLE	32
78	CI-412	MARBLE	36
79	CI-413	MARBLE	38
80	CI-414	MARBLE	39
81	CI-415	MARBLE	29
82	CI-501	SPARKLE	22
83	CI-502	SPARKLE	26
84	CI-503	SPARKLE	22
85	CI-504	SPARKLE	22
86	CI-505	SPARKLE	24
87	CI-506	SPARKLE	24
88	CI-507	SPARKLE	24
89	CI-508	SPARKLE	24
90	CI-509	SPARKLE	26
91	CI-510	SPARKLE	22
92	CI-511	SPARKLE	26
93	CI-512	SPARKLE	26

TECHNICAL SPECIFICATIONS

Parameters	CRYSLA Acrylic Laminate	High Gloss Laminate Mica	PU Coating/ Duco Paint	Back Painted Glass
Gloss Level	>90	>70	>85	>85
Scratch Proof	6H Anti scratch	No	No	No
Color Consistency	Excellent	Not Good	Not Good	Not Good
Orange peel	No	Yes	Yes	No
UV Resistance	Excellent	Bad	Bad	Bad
Water Resistance	Excellent	Bad	Bad	Excellent
DRY Heat Resistance	Excellent	Good	Bad	Bad
Volatile Organic Compounds (VOCs)	No	Yes	Yes	Yes



CLEANING & MAINTENANCE

- Do not place any hot substrate or cookware directly on laminates
- Do not use thinner or any harsh cleaning agent to clean the laminates as it can damage the laminate surface
- Alcohol-based cleaners
- Solvent-based cleaners
- Petrol, Pine wood or Oil-based cleaners
- Cloths other than a microfiber cloth
- Cleaning should be done with water along with a smoothe cloth
- Exposure to temperature above 30'c may cause damage to surface



CUTTING & INSTALLATION

- These acrylic laminates can be cut by standard wood working tools
- Laminates can be easily pasted by using Acrylic to wood adhesives which are easily available in market
- Clean the laminate and base substrate by soft brush or soft cloth before application
- The pressing of laminate should be done from middle and move towards the sides and corners of laminate sheet
- Sufficient pressure should be given to CRYSLA ACRYLIC for almost 15 hours to get a good bonding strength